



Druk overzicht af

PowerEdge R730xd



Mijn selectie

Alle opties

• PowerEdge R730xd

Date	20/07/2015 8:08:51 Central Standard Time			
Catalogusnummer	282823 Retail rc1113346			
Catalogusnummer / Beschrijving	Productcode	Qty	SKU	ID
Base: PowerEdge R730xd Server, TPM	904518	1	[210-ADBC] [461-AACZ] [591-BBCH]	1
Chassis configuratie: Chassis with up to 24, 2.5" Hard Drives and 2, 2.5" Flex Bay Hard Drives	2524FB	1	[350-BBFE]	1530
Processor: Intel® Xeon® E5-2650 v3 2.3GHz,25M Cache,9.60GT/s QPI,Turbo,HT,10C/20T (105W) Max Mem 2133MHz	10523	1	[338-BFFF]	1550
Additional Processor: Upgrade to Two Intel® Xeon® E5-2650 v3 2.3GHz,25M Cache,9.60GT/s QPI,Turbo,HT,10C/20T (105W)	A10523	1	[374-BBGM]	1551
Processor Thermal Configuration: 2 CPU Standard	2CPU	1	[370-ABWE] [374-BBHM] [374-BBHM]	1697
Geheugenconfiguratie type: Performance Optimized	PEOPT	1	[370-AAIP]	1562
DIMM Geheugen-type en de snelheid: 2133MT/s RDIMMs	R2133	1	[370-ABUF]	1561
Geheugencapaciteit: 16GB RDIMM, 2133MT/s, Dual Rank, x4 Data Width	16G2R	8	[370-ABUG]	1560
Operating System: No Operating System	806002	1	[611-BBBF]	1650
OS Media Kits: No Media Required	535227	1	[605-BBFN]	1652
Internal SD Module: Internal SD Module with 1x 8GB SD Card	8GSD	1	[330-BBCL] [385-BBHU]	1640
RAID-configuratie: C1 - No RAID for H330/H730/H730P (1-24 HDDs or SSDs)	NRH330	1	[780-BBLH]	1540
RAID-controller: PERC H330 RAID Controller	H330	1	[405-AAEF]	1541
Harde schijven: 1.2TB 10K RPM SAS 6Gbps 2.5in Hot-plug Hard	12S10	4	[400-AEFO]	1570

Drive				
Harde schijven: 100GB Solid State Drive SATA Mix Use MLC 6Gpbs 2.5in Hot-plug Drive	100HP	1	[400-AEHW]	1570
Harde schijven (PCIe SSD): 500GB 7.2K RPM SATA 6Gbps 2.5in Flex Bay Hard Drive	500EFB	2	[400-AENT]	1573
Power management BIOS-instellingen: Performance BIOS Setting	HPBIOS	1	[384-BBBL]	1533
Cooling: Fresh Air Cooling	FRAIR	1	[384-BBDU]	1531
Power Supply: Dual, Hot-plug, Redundant Power Supply (1+1), 750W, Titanium, 200-240VAC	750TR	1	[450-ADWT]	1620
Netsnoeren: European Power Cord 220V	806709	2	[450-AAXU]	1621
PCIe Riser: Risers with up to 4, x8 PCIe Slots + 2, x16 PCIe Slots	RSR42	1	[330-BBCO] [330-BBCR]	1510
Embedded Systems Management: iDRAC8 Express, integrated Dell Remote Access Controller, Express	I8EXP	1	[385-BBHN]	1520
Selecteer netwerkadapter: Intel X520 DP 10Gb DA/SFP+, + I350 DP 1Gb Ethernet, Network Daughter Card	X520	1	[540-BBBB]	1518
Bezel: Bezel	BEZEL	1	[350-BBEJ]	1532
Rack Rails: No Rack Rails or Cable Management Arm	NORAIL	1	[770-BBBS]	1610
System Asset Identification: Not required	741414	1	[888-10066]	67
Systeem documentatie: Electronic System Documentation and OpenManage DVD Kit	DOC	1	[631-AAJG]	1590
SHIPPING: PowerEdge R730xd Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew)	540087	1	[340-AMGS]	1500
Basisgarantie: 3Yr Basic Warranty - Next Business Day - Minimum Warranty	903536	1	[709-12780] [709-12781]	29
Uitgebreide service: 3Yr Basic Warranty NBD included - No Upgrade Selected	861015	1	[710-10844]	30
Remote adviesdienst: INFO Declined Remote Consulting	691639	1	[715-10838]	735



Afdrukken

